

Uniclass L815/6		EPIC F84/5
CI/SfB	Y	(M2) + (P2)



Clarity

Single Glazed Partitioning System

Delivering Interior Building Solutions. Exceeding Expectations.

CEILING | DRYWALL | SCREEDING | INSULATION | PARTITIONING | FIRE PROTECTION



CCF

Part of the Travis Perkins Group



Clarity

Clarity frameless floor-to-ceiling glass partitioning lets natural light flood into a building. This is the minimalist glazing system that produces the sleekest designs, while making the most of a free natural resource. Clarity doesn't just look good, it is good - for the occupants of a building and for the energy bills of building owners.

Light like no other - frameless glass partitioning brings daylight into the heart of a building

A clear winner - on both looks and efficiency

Clarity turns an office into a beacon of practical and everyday efficiency.

- Minimalist frameless design
- Work with natural daylight
- Uninterrupted views
- Single or double-glazing for heat and sound insulation
- Unlimited choice of styles and designs for privacy detailing
- Integral blinds on double-glazed systems for extra privacy
- Relocatable when installed using dry joints
- Choice of flat or curved glass

Create a light and airy working environment

Clarity takes away dark passages and anonymous corridors. The entire office enjoys its share of natural daylight.

With a range of colours for floor and ceiling channels, Clarity fits well with existing design schemes. There are plenty of other options too, for frosting effects that add detail and signal the presence of clear glass for safety purposes. Clarity can be decorated in any number of ways including corporate branding, product logos and office badging.

Best of all, there are no frames to obscure the view. Clarity is simple, uninterrupted wall-to-wall, floor-to-ceiling glass.

A layout to suit every working environment

The finished look of Clarity is endlessly variable. Clarity can be joined to solid walls or standard partitioning for a part-glass - part-solid effect. Individual glazing panels can be laid in straight lines for a linear look or at angles for a faceted effect, while curved glass panels create a futuristic look.

There are a variety of options for doors too: they can be hinged or sliding, framed or frameless. For door furniture, choose stainless steel or coloured fixtures to complement existing design schemes.

Double-glazed Clarity keeps warmth in and noise levels down. Integral blinds (double-glazed units only) provide visual privacy.

The choice of joints affects the look and adaptability of Clarity. Silicone joints give a sleek finish, while transparent PVC joints mean that Clarity can be dismantled and relocated elsewhere.

Five simple steps to bathing an office in natural light

Choosing Clarity for an office couldn't be easier. There are very few design decisions required, but if you're not sure what's best for your circumstances speak to your local CCF branch.





Step 1: Choose perimeter channels and colours

The only parts of the Clarity System that are not transparent are the base channels that anchor the glazing panels to the floor and the head and abutment tracks that fix them to ceilings, walls and other partitioning systems from our range. Perimeter channels come in a choice of 18 standard colours (see colour chart opposite). Head and abutment tracks also come in a choice of depths: 32mm or 38mm.

Best Selling Colours*


- 01. Satin Anodised Aluminium
- 02. RAL 9010 Pure White
- 03. BS 00-A-05 Goose Grey

- 04. RAL 9006 Metallic Silver
- 05. RAL 9007 Metallic Grey

Other Colours*

- 06. RAL 3005 Wine Red
- 07. RAL 3020 Traffic Red
- 08. RAL 5010 Blue
- 09. RAL 5014 Pigeon Blue
- 10. RAL 6005 Moss Green
- 11. RAL 7031 Blue Grey
- 12. RAL 7035 Light Grey

- 13. RAL 7037 Dusty Grey
- 14. RAL 9005 Jet Black
- 15. RAL 9016 Traffic White
- 16. BS 00-A-01 Ash Grey
- 17. BS 08-B-15 Magnolia
- 18. BS 08-B-29 Bitter Chocolate



*BS4800 and RAL colours not listed are also available, please contact your local CCF branch for further information.

Step 2: Choose glass thickness

Clarity is supplied in two gauges of toughened glass: 10mm for glazing panels up to 2,500mm high, and 12mm for glazing panels over 2,500mm high.

Step 3: Choose joint type

Choose traditional clear silicone for neat, seemingly joint-free glazing, or transparent PVC for glazing joints that can be later dismantled should you want to relocate the system.

Clarity Single Glazed Partitioning System



Tension door with D handle



Free-swing door with locking latch sets



Single sliding glass door



Double bi-parting sliding system

Step 4: Choose doors and ironmongery

- Tension door with D handle
- Free-swing door with locking latch sets
- Single sliding glass door
- Double bi-parting sliding system

(See images above)

Step 5: Choose frosting or other design details (glazing manifestation)

Building Regulations require that glass doors and walls should never be fully transparent and glazing manifestations provide both a safety and design feature. The vinyl used in manifestations is available in a wide variety of colours as well as a translucent finish and you can create any manifestation design using patterns, words, images, and corporate logos.

Although manifestations can be added to a system once it has been installed, it is always recommended that you choose your design at the specification stage.



CCF NATIONWIDE BRANCH NETWORK

Ashford
Tel: 01233 611135

Barking
Tel: 020 8526 8700

Basildon
Tel: 01268 293323

Birmingham
Tel: 0121 525 8877

Bristol
Tel: 0117 982 2613

Cannock
Tel: 01543 686998

Cardiff
Tel: 029 2076 3311

Carlisle
Tel: 01228 672257

Christchurch
Tel: 01202 496666

Croydon
Tel: 020 8665 6113

Doncaster
Tel: 01302 786043

East Kilbride
Tel: 01355 244400

East London
Tel: 020 7540 5050

Edinburgh
Tel: 0131 440 4023

Exeter
Tel: 01392 362128

Glasgow
Tel: 0141 445 2557

Heathrow
Tel: 020 8893 5353

Leeds
Tel: 0113 270 4400

SLBM Waterside Leeds
Tel: 08700 979797

SLBM Bridgewater Rd Leeds
Tel: 08707 550677

Liverpool
Tel: 0151 933 8444

Manchester
Tel: 0161 877 4088

Newcastle
Tel: 0191 491 4992

Nottingham
Tel: 01773 711 404

Park Royal
Tel: 020 8965 4222

Peterborough
Tel: 01733 551 333

Plymouth
Tel: 01752 893547

Portsmouth
Tel: 023 9241 3770

Reading
Tel: 0118 949 2540

Southampton
Tel: 01489 785155

Stevenage
Tel: 01438 740055

Swindon
Tel: 01793 497580

Thetford
Tel: 01842 766316

West London
Tel: 020 8810 5533

Head Office
27/28 Suttons Business Park
London Road, Reading, RG6 1AZ
T: 0118 949 1092
F: 0118 926 8831

www.ccf ltd.co.uk

The information (including prices) contained in this publication is believed to be correct and complete at the time of printing. Images may not be representative of their true colour due to limitations in the printing process. Stock may vary from branch to branch and is subject to availability. All photographs are as a guide only and do not necessarily represent the products available. CCF reserves the right to change product details without prior notice. E&OE. March 2008.